24" Portable Clean Room

Model # SS-324-PCR

The **24" Wide Portable Clean Room** offers up to an *ISO Class 5 cleanroom* to help protect the process from outside contamination and particulate. This system utilizes a vertical laminar airflow pattern and a dual-stage filtration to create positive-pressure environment by supplying filtered air to the workspace. The **Portable Clean Room Hood** draws in ambient air and processes the air through a pre-filter and main filter. Main filter choices include **HEPA filtration** (up to 99.97% efficiency on particles down to 0.3 microns) and **ULPA filtration** (up to 99.9995% efficiency on particles down to 0.12 microns).

The **Portable Clean Room** offers a reliable and low maintenance operation for a variety of applications including *IV infusion, parts inspection, optics/laser assembly, tissue culturing, data recovery, stem cell therapy practices and other medical applications*. This unit's compact size and portable nature also make it a good choice for field-testing applications that require frequent travel. To manage the air volume, this unit comes standard with a variable speed controller. Also included is a LED light with an optional UVC light for surface disinfection.

Our line of portable clean rooms is not intended for chemotherapy.

Product Features

- Includes: anti-static vinyl curtains, LED light, and variable speed controller (115V only)
- **Optional:** UVC light, Magnehelic Gauge, hour counter, and removable spill tray
- Standard Sizes: 12", 18", 24", 30", and 40"
- Provides up to an ISO Class 5 Clean Room
- Highly portable and lightweight
- Quiet operation
- Reliable, low maintenance operation
- · Long filter life
- Simple "no tool" filter change






24" Portable Clean Room



24" PCR provides a clean workspace for tissue culturing.



The 24" PCR Hood provides a sterile workspace for a variety of medical applications







Dimensions are approximate.



7357 Woodbine Ave 409 1
Markham, ON L3R 6L3
905.475.5880 • 1.888.885.1900
www.labequip.com/contact-us.html

www.labequip.com

	Since 1983	
Hood Dimensions (D x W x H) Outer: 24" x 2 Interior: 23.5 Access Area:	5" x 24" x 24"	
Hood Material Sides: 0.25" Base: 0.5" w density polye Top: 0.5" clear polycarbonat Front Window clear polycarl	hite high thylene ar e w: 0.25"	
Blower Dimensions (L x W x H) 15.5" x 13" x	14.5"	
Blower Material 16 ga. carbon polyurethane coating on al	ероху	
Weight (approximately) 95 lbs		
ISO Classification Up to ISO Cla	ss 5	
Air Volume Up to 350 CF (with HEPA fil		
Electrical 115/1/60, 2 220/1/50, 0 8' grounded with NEMA 5-	.75 amps oower cord	
Sound Level (High at 3' from inlet) Approx. 55 dl	ра	
Pre-Filter MERV 8 Pre-F	ilter	
Depending of Application: HEPA [up to 9 efficiency on microns and ULPA [up to 9 efficiency on 0.12 microns	99.97% particles 0.3 larger] 99.9995% particles	
Warranty Warranty Limited three warranty from shipment on to materials of workmanship	-year n date of defects due or	
Patent #5,843,197		