



FUME HOOD ASSEMBLIES

PRO BENCH - VERTICAL SASH.



WIDTH	FRP
48"	7221040
60"	7321040
72"	7421040
96"	7521040

		80 FPM		100 FPM		80 FPM		100 FPM	
Exhaust Parameters		28-1/2" Max Sash Opening		28-1/2" Max Sash Opening		18" Max Sash Opening		18" Max Sash Opening	
Hood Size	Duct Dia.	CFM	SP	CFM	SP	CFM	SP	CFM	SP
48"	10"	630	0.15	786	0.20	407	0.06	508	0.09
60"	12"	830	0.15	1035	0.20	533	0.05	667	0.07
72"	12"	1025	0.2	1280	0.25	660	0.07	825	0.11
96"	2@10"	1418	0.2	1772	0.25	913	0.07	1142	0.11



F1

FUME HOOD ASSEMBLIES

Fume Hood Plumbing Fixtures:

Service	Colour	Item#
AIR	ORANGE	WFS1001
GAS	BLUE	WFS1002
VAC	YELLOW	WFS1004
CW RIGID/SWING GOOSENECK IN-LINE VB	GREEN	WFS1009



Fume Hood Base Cabinets

Base Units – Standing Height – 34.75" (883mm) High By 22" (558mm) Deep




- Solid Right Hinged Door.
- Adjustable Shelf.

Width	Product No.
18" (457mm)	1110011
24" (610mm)	1210011



- Solid Left Hinged Door.
- Adjustable Shelf.

Width	Product No.
18" (457mm)	1110211
24" (610mm)	1210211




- Solid Two Hinged Doors.
- Adjustable Shelf.

Width	Product No.
30" (762mm)	1310011
36" (914mm)	1410011
48" (1219mm)	1510011

F2


FUME HOOD ASSEMBLIES

Acid Storage and Insulated Solvent Units (18" Deep)




- Acid Storage Unit.
- Solid Right Hinged Door.
- Black phenolic shelf.
- Chemically resistant molded liner

Width	Product No.
18" (457mm)	1131011
24" (610mm)	1231011



- Acid Storage Unit.
- Solid Left Hinged Door.
- Black phenolic shelf.
- Chemically resistant molded liner


Width	Product No.
18" (457mm)	1131211
24" (610mm)	1231211



- Acid Storage Unit.
- Solid Hinged Doors.
- Black phenolic shelf.
- Chemically resistant molded liner


Width	Product No.
30" (762mm)	1331011
36" (914mm)	1431011
48" (1219mm)	1531011

Solvent (Flammable) Storage - Insulated Units (18" Deep)



- Insulated Solvent Unit.
- Solid Right Hinged Door.
- Painted steel shelf.

Width	Product No.
18" (457mm)	1132011
24" (610mm)	1232011



- Insulated Solvent Unit.
- Solid Left Hinged Door.
- Painted steel shelf.

Width	Product No.
18" (457mm)	1132111
24" (610mm)	1232111

F3

FUME HOOD ASSEMBLIES

Solvent (Flammable) Storage - Insulated Units (18" Deep)



- Insulated Solvent Unit.
- Solid Hinged Doors.
- Painted steel shelf.

Width	Product No.
30" (762mm)	1332011
36" (914mm)	1432011
48" (1219mm)	1532011

End Filler Panels



- Available in sitting height (28-3/4") and standing height (34-3/4").
- The End Cover Panel Scribes are used to close spaces between the back of a base cabinet and a wall. The Scribe feature allows for easy width adjustment in the field.
- Filler panels can be ordered in 1" increments, up to 24" wide. Change the last two digits to the dimension required

Width	Sitting Hgt.	Standing Hgt.
7"	-----	ECS1007
11"	-----	ECS1011