

SRIP

Peltier Cooled Series Incubators



SRIP3P

Innovative Peltier cooling technology eliminates the need for a refrigeration compressor. The SRIP series use over 70% less power than alternative models and reduce room air conditioning loads by 75%. They also include strong shelves, which eliminates sagging.

SHEL LAB SRIP Incubators meet APHA specifications for Biochemical Oxygen Demand (B.O.D.) and include a mechanical convection system to ensure even air distribution, digital temperature set controller, over-temperature limit control, door ajar alarm, and a digital temperature display. The large SR120P incubator is optimized for high-volume sample and drying applications.

Model Name [110-120V/220-240V]	SRIP3P SRIP3P-2	SRIP6P SRIP6P-2	SRIP20P SRIP20P-2
Capacity	3.5 cu.ft. (99 liters)	6.5 cu.ft. (185.5 liters)	19.3 cu.ft. (546.6 liters)
Interior Dimensions (W x D x H)	18.9" x 16.9" x 26.4" 480 x 429 x 670 mm	25.5" x 24.0" x 18.5" 648 x 610 x 470 mm	25.5" x 24.0" x 54.5" 648 x 610 x 1384 mm
Exterior Dimensions (W x D x H)	24.1" x 21.3" x 33.8" 612 x 541 x 859 mm	30.0" x 31.5" x 33.5" 762 x 800 x 851 mm	30.0" x 31.5" x 69.5" 762 x 800 x 1766 mm
Shelves	2 standard, 3 max	2 standard, 3 max	5 standard, 10 max
Warranty	2 Year Limited Warranty	2 Year Limited Warranty	2 Year Limited Warranty

Temperature Specifications	SRI3P SRI3P-2	SRI6P SRI6P-2	SRI20P SRI20P-2
Temperature Range	15°C to 40°C at 25°C Ambient		
Heat-Up Time — Minutes to 20°C	10	12	13
Recovery after Door Opening (30 sec.) - Minutes to 20°C	3	3	3
Temperature Uniformity - At 20°C	0.5	0.5	0.5



Precise Temperature Control
- Superior Uniformity

- Independent Over Temperature Thermostat
- Over Temperature Alarm
- Door Ajar Alarm
- Temperature Uniformity +/-0.5°C at 20°C

Accessories

9490583	Shelf with Non-Sliding Brackets Kit
9490584	Shelf with Sliders Kit
9000593	Caster Platform - SRI20P
97751211	Stacking Rack - SRI6P